Morris, A. C., Jr., 337°, 481
Morris, A. M., 183
Morrison, R. T., 7, 340°
Moss, A. J., Jr., 519
Mueller, W. C., 349°
Mulvey, P. F., Jr., 344°
Murano, R., 610†
Murison, P. J., 363°
Murphy, C., 344°
Murphy, R. E., 667
Myers, E. J., 667
Myers, W. P., 338°

N

Nasjleti, C. E., 359°
Nelp, W. B., 340°, 364°, 610†, 822
Nicholson, M. W., 358°
Nicolau, W., 275
Nixon, J. C., 354°
Nofal, M., 342°
Nusynowitz, M. L., 473

O

Oester, Y. T., 489, 780
Okinaka, A. J., 506
Oldendorf, W. H., 205, 365°, 768°
Olson, D. G., 338°
Ooba, S., 346°
Oratz, M., 838
Orvis, A. L., 535°
Osgood, E. E., 421
Otte, W. K., 28, 705
Otte, W. K., Jr., 340°
Overton, M. C., III, 28, 705
Owen, C. A., Jr., 531°, 533°

P

Palmer, D. L., 287
Palmer, H. E., 340°
Palumbo, P. J., 534°
Paris, J., 533°
Perkins, W. H., 519
Petasnick, J. F., 349°, 362°
Peterson, D. C., 667
Phelps, N. J., 287
Pieroni, R. R., 275
Pircher, F. J., 345°, 389
Pochaczevsky, R., 528
Poe, N. D., 346°, 348°
Pollycove, M., 350°, 494
Pories, W. J., 831
Potchen, E. J., 328°, 369°
Prasad, K. N., 297
Preuss, L. E., 358°
Pritchard, W. H., 336°
Proctor, D. F., 362°

Q

Quaife, M. A., 192
Quimby, E. H., 377
Quinn, J. L., III, 175, 333°, 347°
Quirk, J., 354°

R

Rafter, J. J., 361°
Rangel, M. L., 328°
Reba, R. C., 344°
Reeves, R. J., 345°, 389
Ritter, F., 327°
Rodriguez-Antunez, A., 357°
Rohrer, R. H., 343°
Roper, T. J., 524, 754
Rossin, H. W., 560
Rothschild, E. O., 338°
Rothschild, M. A., 838
Ruetz, P. P., 334°, 336°

S

Sage, H. H., 367°
Samachson, J., 338°
Satterfield, M. M., 332°
Sawyer, D. C., 292
Schaefer, J. W., 354°
Schapiro, D., 336°
Schiff, L., 354°
Schreiber, M. H., 347°, 613
Schreiber, S. S., 838
Schuh, M. W., 325°
Schwartz, R. D., 355°, 792
Schwartz, S. I., 352°
Scott, K. G., 351°
Sharma, S. M., 598
Sharpe, A. R., Jr., 336°
Sharpe, K. W., 345°
Shimizu, S., 205, 365°, 768°
Siemsen, J. K., 770°
Sigman, E. M., 183, 330°
Simek, J., 645
Simpson, W. J., 917
Sisson, J. C., 210, 853
Sklaroff, D. M., 300, 357°
Smith, E. M., 231, 343°
Sodee, D. B., 356°
Spar, I. L., 352°
Spencer, H., 338°
Spencer, R. P., 53, 337°, 844
Spring, M., 223†
Staab, E. V., 335°
Steiner, S. H., 368°
Sternberg, J., 339°, 691
Sternglass, E. J., 349°
Stern, H. S., 352°
Still, E. T., 588
Stokes, J. R., 363°
Stone, H. L., 409, 645
Strain, W. H., 831
Subramanian, G., 352°
Sundaram, K., 459, 598
Svien, H. J., 535°
Swanson, L. A., 331°

T

Tabern, D. L., 762
Takahashi, M., 342°
Talso, P. J., 354°
Tangeman, F. T., 831
Tanida, R., 361°
Taplin, G. V., 331°, 340°, 346°, 348°, 360°, 566, 769°
Taplits, S., 330°
Tauxe, W. N., 326°, 532°, 534°, 535°
Thomsen, P., 16
Toigo, A., 368°
Tothill, P., 582
Tow, D. E., 150, 347°, 362°, 364°
Tubis, M., 352°
Tuell, S. H., 340°
Tutor, F. T., 341°, 541, 902
Tutton, R. H., 363°
Twining, R., 347°

U

Uchiyama, G., 332°
Ueda, H., 353°
Usselman, J. A., 353°

V

Van Allen, M. W., 7
Van Dyke, D., 109
Van Vliet, P. D., 535°

W

Wagner, H. N., Jr., 150, 347°, 362°, 364°
Waldman, R., 53
Walker, W. G., 225†
Wang, Y., 349°, 355°
Watts, F. C., 136
Webber, M. M., 767°
Weber, D. A., 327°, 338°, 528
Weiss, T. E., 363°
Welch, J. S., 534°
Whang, K. S., 494
Whitley, J. E., 687
Wigdahl, L. O., 335°
Williams, G., 131
Wilson, C. R., 349°
Winchell, H. S., 350°
Witcofski, R. L., 121, 524, 555, 687, 754
Wood, G. A., 433
Woodward, K. T., 344°

Y

Yamada, H., 353°
Yates, J., 645
Young, I. M., 357°
Young, J. D., 265

Z

Zaleski, E. J., 651

SUBJECT INDEX 1965

*Indicates abstracts presented at the annual meeting or at chapter meetings.
‡Indicates abstracts from the current literature.
†Indicates Letter to the Editor.

A

Activation analysis
Bremsstrahlung for iodine determination, 344*
Manganese and copper levels in human urine, 780
Nondialyzable manganese, copper and gold in human saliva, 489
Trace elements in biological samples, 344*
Albumin
See also ^{125}Iodine and ^{131}Iodine
Tumor scanning with intraarterial hydrogen peroxide and ^{131}I HSA, 711
Tumor scanning with ^{131}I, 346*
Vascular velocity measurements in brain, 1
Amino acid active transport into tissue cells, 131
Atabrine, absorption and excretion of ^{131}I labeled, 69
Autoradiography
Double-labeled with ^{131}I and ^{125}I in nodular goiter, 330*
Visualization of thyroid, 329*

B

Blood
Dextran infusions and extracellular volume, 838
Effect of irradiation on ferrokinetics of cross-circulated dogs, 292
Patterns of marrow hypertrophy and atrophy in man by positron camera, 109
Simultaneous red cell mass and plasma volume with ^{51}Cr and ^{125}I albumin, 433
Sodium-serum protein binding by continuous flow dialysis, 354*
Body composition, extra cellular fluid space measured by sodium selenate, ^{75}Se, 367*
Bone
^{90}Sr content in, 432‡
Density measurement by photon attentuation, 345*
Fluoride, ^{18}F, for disease, 473
Pathological basis of positive strontium scans, 357*
Primary and metastatic tumors with ^{18}F, 360*
Scanning with ^{68}Ga, 605
Scanning with ^{68}Gallium, 358*
Bone marrow
Myelofibrosis, diagnosis and therapy of, 770*
Scanning in animals, 361*
Whole-body scanning of, 361*
Brain
Abnormal scans with ^{99m}Tc pertechnetate, 333*
Albumin aggregates for scanning, 340*
Albumin, ^{131}I, colloidal for tumors, 340*
Albumin macroaggregates for scanning, 566
Blood pool hematocrit measurement, 365*
Ceramic pellets, ^{90}Y, effects, 358*
Cerebral blood flow by inhaled ^{133}Xe, 679
Cerebrovascular accidents by scanning, 341*
Cerebrovascular accidents, scans at intervals, 902
Comparison of ^{197}Hg and ^{203}Hg for tumor scanning, 341*
Comparison of ^{99m}Tc and ^{203}Hg neohydrin scans, 334*
Effect of craniotomy on scan, 535*
Effect of hepatectomy on conversion of glucose to amino acid, 531*
Evaluation of abrupt intravenous injection of radioisotope, 205
Evaluation of scans in brain tumors, 541
False positive scans with ^{99m}Tc contamination, 524
Gamma globulin transfer rates in multiple sclerosis, 632
^{197}Hg and ^{203}Hg chlormerodrin in scanning, 28
^{203}Hg scans, small doses for screening, 252
Immobilizer for scanning of, 850†
Localizing antibody, radioiodination of, 38
Multiple sclerosis, gamma globulin in CSF in blood plasma, 366*
Normal scans with ^{99m}Tc, 767*
Point counting and brain scan image and pathology, 342*
Posterior fossa lesions, scanning technique, 771
Posterior fossa, scanning technique, 754
Scanning with ^{203}Hg chlormerodrin and ^{99m}Tc, pertechnetate, 767*
Scintiencephalography of non-neoplastic lesions, 7
Selenite, ^{75}Se, for scanning, 351*
^{99m}Tc in scanning, 121
^{99m}Tc and ^{203}Hg chlormerodrin compared for scans, 334*
Transmission scan for improved orientation of emission scan, 333*
Transverse section and rectilinear scanning with pertechnetate, 334*
Tumour concentrations of ^{99m}Tc in rats, 404
Vascular velocity measurements in, 1
Vertex view in scanning, 705
Wilson's disease, diffusion of ^{64}Cu from blood into brain, 768*
Bronchi
Pattern and rates of removal of particulate material in man, 362*

C

Camera, Gamma
Comparison with conventional scanning for brain, 335*
High sensitivity imaging system, 349*
Intestinal iron absorption studies using ^{52}Iron, 350*
Mimimizing motion artifact with ^{99m}Tc colloid, 349*
Optimum length of light pipe and evaluation of errors, 349*
Spintharicon, new approach to imaging, 724
Spleen scanning with ^{99m}Tc sulfur colloid, 362*
Three dimensional mapping and display, 332*
Camera, positron
Marrow hypertrophy and atrophy in man, 109
Cancer
Atabrine, radioiodinated, tumor uptake, 351*
Extracranial neoplasm with ^{99m}Tc pertechnetate, 687
Human serum albumin for tumor outline, 346*
Interstitial therapy with low energy photon emitters, 358*
Nasopharynx tumor localization with, 549
Lymphoma, ^{75}Se methionine for scanning, 355*
Malignant lymphoma ^{75}Se methionine in diagnosis of, chlormerodrin, 792
Ovary, treatment with radioactive colloids, 534*
Scanning with ^{131}Cs, 300
Tumor scanning with ^{131}I albumin, 346*
Tumor scanning with intraarterial hydrogen peroxide and ^{131}I HSA, 711
^{14}Carbon
Amino acid active transport into tissue cells, 131
Brain, effect of hepatectomy on conversion of glucose to amino acid, 531*
Catalase, influence of dimethyl sulfoxide on radiation sensitivity of, 519
^{131}Cesium, tumor scanning, 300
^{137}Cesium, radiocontamination during pregnancy, 339*
^{36}Chlorine, amino acid active transport into tissue cells, 131
^{51}Chromium
Brain blood pool hematocrit with red cells, 365*
Measurement of intestinal loss of plasma albumin, 93
Simultaneous red cell mass and plasma volume, 433
Splenic sequestration of red cells in rat, 533*
Vitamin B_{12} determination by double tracer, 459
Chromosomes
Persisting clone in previously irradiated woman, 740
Polyploidization with ionizing radiations, 359*
^{58}Cobalt
Determination of vitamin B_{12} absorption by double tracer, 459
Retention by hair, bone and blood, 831
^{60}Cobalt, labeled cobaltinitrite for urinary potassium, 265
Collimators
Efficiency of, 225†
Geometric efficiency, 226†
Low-energy, high transmission, clinical applications of, 409
Response to scattered gamma rays, 325*
Section scanning with large, solid angle converging, 325*, 767*
Colloids, radioactive
Scanning of bone marrow in animals, 361*
See ^{131}Iodine, ^{99m}Technetium and sulfur colloid
Treatment of carcinoma of ovary, 534*

Computer
Analogue, analysis of clinical isotope studies, 337*
Analogue, for simultaneous use of two isotopes with scanner, 844
Contrast enhancement of scanning, 326*
Digital analysis and scan display, 327*
In whole body scanner, 389
Liver scans with digital readout, 528
Total body retention and localization scanning, 327*
^{64}Copper, diffusion of copper from blood to brain in Wilson's disease, 768*
Curiage, nomogram for estimation from CPM, 297

D

Dialysis, continuous monitored dialysis perfusion system, 805

F

Failla, G. and development of radiation biophysics, 377
^{18}Fluorine
Fluoride for bone disease, 473
Primary and metastatic bone tumor scanning of, 360*

G

^{68}Gallium
Bone scanning, 605
Bone scanning agent, 358*
Gamma radiation, effect of serum enzyme levels of primates, 588
Gamma rays, scintillation detector response, 325*
^{198}Gold
Colloid for bronchial and vascular lung scans in pulmonary disease, 347*
Colloidal for inhalation scanning of lungs, 348*
Liver scanning with, 494
Ovary cancer treated with radioactive colloids, 534*
Pulmonary clearance of large labeled particles, 368*

H

Health physics, research programs for MPC values, 79
Heart
Abrupt intravenous injection of radioisotope, 205
Angina pectoris, treatment with radioactive iodine, 699
Cardiac output from precordial isotope dilution curves, 360*
Coronary blood flow by positron emitter, 651
Detection of shunts by ^{126}I, 16
Dilution studies in single tube systems, 360*
Effect of external irradiation on cardiac output, venous pressure and arterial pressure, 645
Myocardial blood flow with ^{86}Rb, 368*
Myocardial infarcts by scanning, 363*
Precordial counting curves, evaluation of, 536†
Precordial counting with ^{125}I albumin, 169
Scanning with ^{99m}Tc pertechnetate, 535
Transmission scan for improved orientation of emission scan, 333*

I

Insulin, protein binding of interstitial therapy, 534*
Destruction of small volumes with beta sources, 359*
Use of low energy photon emitters, 358*
Intestines
Iron absorption using ^{52}Fe and positron camera, 350*
Labeled plasma lipids after fat ingestion, 210
Loss of plasma albumin, evaluation of ^{51}Cr albumin, 93
Inulin, gamma emitting for kidney function, 330*
^{125}Iodine
Albumin for precordial counting, 169
Albumin macroaggregates for brain scanning, 566
Atabrine, in experimental tumors, 351*
Autoradiographs, double-labeled in nodular goiter, 330*
Detection of heart shunts by, 16
Gamma-emitting inulin and PAH substitutes for kidney function, 330*
Localization of radioantibodies in human brain tumors, 38
Simultaneous red cell mass and plasma volume, 433
Thyroid, autoradiographic visualization of, 329*
^{131}Iodine
Absorption and excretion of atabrine, 69
Absorption from subcutaneous space of albumin, 367*
Albumin for scanning on non-neoplastic brain lesions, 7
Albumin aggregates for brain scanning, 340*
Albumin for scanning, 346*
Albumin for placenta localization, 364*
Albumin for scanning spinal subarachnoid space, 465
Albumin macroaggregates for brain scanning, 566
Angina pectoris, treatment with, 699
Antibodies for detection of venous thrombi by scanning, 352*
Atabrine, in experimental tumors, 351*
Atabrine uptake in enlarged spleen of leukemic mice, 594
Autoradiographs in nodular goiter, double-labeled, 330*
Colloidal albumin for scanning non-neoplastic brain lesions, 7
Colloidal albumin for brain tumor localization, 340*
Comparison of triiodothyronine by red cells and sephadex, 328*
Diethylstilbestrol, preparation, properties and uses, 352*
Effect of craniotomy on brain scan with PVP, 535*
Experimental tumor scanning with intraarterial hydrogen peroxide and HSA, 711
Gamma-emitting inulin and PAH substitutes for kidney function, 330*
Hippuran clearance and renogram recording, effect of carrier on, 336*
Hippuran, contamination of, 136
Hippuran dilution and excretion, dynamics, 336*
Hippuran renogram in renal homotransplantation, 336*
Human serum albumin for tumor delineation, 346*
Human serum albumin for bronchial and vascular lung scans, 347*
Hyperthyroidism, diagnosis by external liver counting, 598
Insulin, protein binding of, 534*
Iodohippurate dosimetry in rats and cats, 196
Iodohippurate, purification with gel filtration, 287
Joint scans with I.H.S.A., 363*
Labeled plasma lipids after Fat ingestion, 210
Localization of radioantibodies in human brain tumors, 38
Macroggregates of albumin for peripheral circulation by scanning, 150
Macroaggregated albumin for pulmonary embolism and infarction by scans, 347*
Macroaggregated albumin for portopulmonary shunt in liver cirrhosis, 353*
Macroaggregated albumin for removal of particulate material from respiratory tract, 362*
Macroaggregated albumin for peripheral circulation, 364*
Macroaggregated albumin, distribution, metabolism and dosimetry, 506
Metabolism in the thyroid, 142
Multiple sclerosis, transfer rates of gamma globulin between CSF and blood plasma, 366*
Polyvinylpyrrolidone, body retention and radiation dose, 582
Pulmonary embolism and infarction by scanning with MAA, 613
Renal clearance of renografin, 183
Renal transit time with hippuran renogram, 269
Serum albumin for inhalation scanning of lung, 348*
Size and position of thyroid lobes in adult by scanning, 53
Thyroid dysgenesis, congenital and juvenile hypothyroidism, 275
Thyroiditis, serial scans in, 560
Tolpovidone, dosimetry in rats and cats, 59
Triiodothyronine resin uptake in man and sheep, 192
^{132}Iodine, controlled washing procedure for generators, 220
^{52}Iron
Intestinal absorption using positron camera, 350*
Marrow hypertrophy and atrophy by positron scanning, 109

^{59}Iron
Increased absorption in cirrhosis, 354°
Irradiation ferrokinetics of cross-circulated dogs, 292

J

Joint space, scans with I.H.S.A., 363°

K

Kidney
carrier effect on hippuran and renogram recording, 336°
chair for renograms, 75
Effect of stable HG diuretic on retention of ^{203}Hg chlormerodrin, 335°
Gamma-emitting inulin and PAH substitutes in Man, 330°
Hippuran dilution and excretion, dynamics, 336°
Iodohippurate, internal dosimetry in rats and cats, 196
Isotopic method for urinary potassium, 265
Purification of iodohippurate with gel filtration, 287
Radioiodide contamination of hippuran, 136
Renal clearance of ^{131}I renografin, 183
Renal transit time with ^{131}I hippuran renogram, 269
Renal clearance by diatrizoate, ^{125}I and orthoiodohippurate, ^{131}I, 532°
Renal function with surgery of upper tract obstruction, 532°
Transplantation, response of hippuran renogram, 336°
Unilateral displacement, renograms and scans in, 331°

L

Leukemia
Total body x-ray compared to intravenous ^{32}P, 421
Liver
Absorption of ^{59}Iron citrate in cirrhosis, 354°
Damage from radiation therapy shown by scanning, 353°
Porto-pulmonary shunt in cirrhosis, 353°
Scanning with colloidal gold, 494
Scans with digital readout, 528
Lung
Bronchial and vascular lung scans in pulmonary disease, 347°
Diagnosis of pulmonary embolism and infarction by scanning, 347°
Factors influencing regional blood flow in man and dog, 347°
Inhalation studies of bronchi, 347°
Inhalation of radioisotopes for scanning, 348°
Pattern and rates of removal of particulate matter in man, 362°
Porto-pulmonary shunt in liver cirrhosis, 353°
Pulmonary blood flow by scanning, 346°
Pulmonary clearance of large labeled particles, 368°
Pulmonary embolism and infarction by scanning, 613
Regional pulmonary blood flow with ^{133}Xe, 366°
Tuberculosis by scanning, 343°

M

^{197}Mercury
Chlormerodrin for inhalation scanning of lungs, 348°
Comparison with ^{203}Hg for brain tumor scanning, 28, 341°
Measurement of, 343°
Metabolism of MHP after splenectomy, 847†
Nasopharynx, tumor localization with chlormerodrin, 549
Spleen function with MHP, 355°
Splenic sequestration with mercurihydroxypropane, 354°
^{203}Mercury
Chlormerodrin compared with ^{99m}Tc for brain scans, 334°
Chlormerodrin for brain scanning, 767°
Chlormerodrin for scanning non-neoplastic brain lesions, 7
Comparison with ^{99m}Technetium in brain scanning, 334°
Comparison with ^{197}Hg in brain tumor scanning, 28, 341°
Effect of stable mercurial diuretic on renal retention of chlormerodrin, 335°
Metabolism of MHP after splenectomy, 847†
Multiple sclerosis
Transfer rates of gamma globulin in CSF in blood plasma, 632
Myelography, radioactive with radio albumin, 465

N

Nasopharynx tumor localization with HG chlormerodrin, 549
Nomograms, for estimation of curiage from CPM, 297
Nuclear medicine
And medical education, 691
Color coded chart filing system for, 175

O

Ovary, cancer treatment with radioactive colloids, 534°

P

Pancreas
Progress in scanning, 356°
Scanning with methionine and morphine, 357°
Scanning with ^{75}Se methionine, 762
Turnover of ^{75}Se selenomethionine, 338°
Parathyroid, uptake of amino acid analogues, 356°
Peripheral circulation in man, method for study of, 364°
^{32}Phosphorus
Leukemia, comparison of total body x-ray and intravenous ^{32}P, 421
Solitary thyroid nodules, failure to identify, 917
Surface counting with solid state detector, 345°
Pituitary, destruction of small volumes of tissue with Beta sources, 359°
Placenta
Localization by polariod color scanning, 364°
Previa by photo-scanning with ^{99m}Tc albumin, 364°
Polyvinylpyrrolidone
Body retention and radiation dose, 582
^{131}I, dosimetry of in rats and cats, 59
Potassium, urinary, isotopic method of estimation, 265
Prostate, diethylstilbestrol, ^{131}I, preparation, properties and uses, 352°
Protons, effect on serum enzymes in primates, 588

R

Radionuclides
Color coded chart filing system for, 175
Comparison of various isotopes for scanning, 155
Dose calculations for low energy photons, 343°
Radionuclides, research programs on MPC values, 79
Rose bengal for inhalation scanning of lung, 348°
^{84}Rubidium, in determination of coronary blood flow, 651
^{86}Rubidium, myocardial blood flow, 368°

S

Saliva, nondialyzable manganese copper and gold in adults, 489
Scanning
Abnormal brain scans with ^{99m}Tc pertechnetate, 333°
Albumin aggregates for Brain, 340°
Albumin, ^{131}I in tumors, 346°
Area recording and data blending in, 333°
Bone marrow in animals, 361°
Bone marrow, whole-body, 361°
Bone pathological basis of positive strontium scans, 357°
Bone tumors with ^{18}F, 360°
Bone with ^{68}Gallium, 358°, 605
Brain, albumin macroaggregates for, 566
Brain, cerebrovascular accidents, 341°, 902
Brain, comparison of Hg chlormerodrin isotope tags, 28
Brain, effect of craniotomy on, 535°
Brain, false positive scans with ^{99m}Tc contamination, 524
Brain, immobilizer for, 850†
Brain, ^{131}I colloidal albumin for, 340°
Brain, normal with ^{99m}Tc, 767°
Brain, posterior fossa lesions of, 342°
Brain, posterior fossa technique, 754, 771
Brain, vertex view in, 705

Brain tumor, evaluation of, 541
Brain with ^{203}Hg chlormerodrin and ^{99m}Tc pertechnetate, 767*
Brain with ^{203}Hg, small doses for screening, 252
Brain with ^{75}Se selenite, 351*
Brain with ^{99m}Tc, 121
Bronchial and vascular lung scans in pulmonary disease, 347*
Camera positron, 109
Collimator low energy, high transmission for, 409
Comparison of isotopes for, 155
Comparison of ^{197}Hg and ^{203}Hg of brain, 341*
Comparison of ^{99m}Tc and ^{203}Hg neohyrin for brain, 334*
Contrast enhancement by computer, 326
Conventional and anger camera for brain, 335*
Detection and localization of non-neoplastic brain lesions, 7
Detection of venous thrombi, 352*
Digital computer analysis and display, 327*
Evaluation and intercomparison of detectors for, 325*
Extracranial neoplasms with ^{99m}Tc pertechnetate, 687
Heart with ^{99m}Tc pertechnetate, 555
Hybrid radioisotope scanner, 350*
Information capacity of scans, 441
Joints with I.H.S.A., 363*
Liver, damage for radiation therapy, 353*
Liver with colloidal gold, 494
Liver with digital readout, 528
Lung, tuberculosis, 343*
Lymphoma, ^{75}Se methionine in, 355*
Malignant lymphoma, ^{75}Se methionine in, 792
Myocardial infarcts, detection of, 363*
Nasopharynx, tumor localization with ^{197}Hg chlormerodrin, 549
Pancreas, progress in, 356*
Pancreas with ^{75}Se methionine and morphine, 357*
Pancreas with ^{75}Se methionine, 762
Parathyroid, uptake of amino acid analogues, 356*
Peripheral circulation with ^{131}I macroaggregates of albumin, 150
Placental localization with polaroid color, 364*
Placenta previa by scan with ^{99m}Tc albumin, 364*
Porto-pulmonary shunt in liver cirrhosis, 353*
Pulmonary blood flow, 346*
Pulmonary embolism and infarction, 347*, 613
Radioisotope inhalation for lungs, 348*
Rapid technique with modified conventional equipment, 769*
Regional pulmonary blood flow with ^{133}Xe, 366*
Rescanner with photographic color readout, 332*
Respiratory tract, pattern and rates of removal of particular particles, 362*
Section with large, solid angle converging collimator, 325*, 767*
See cameras, gamma
Simultaneous use of two isotopes by scanner plus analogue computer, 844
Spinal subarachnoid space with labeled albumin, 465
Size and position of thyroid lobes in adult, 53
Spleen function study with ^{197}Hg MHP, 355*
^{99m}Tc and ^{203}Hg chlormerodrin in brain, 334*
Three dimensional mapping and display, 332*
Thyroiditis, serial scans in, 560
Total body retention and localization by computer, 327*
Transmission scan for improved orientation of emission scan, 333*
Transverse section and rectilinear of brain with pertechnetate, 334*
Tumors, human with human serum albumin, ^{131}I, 346*
Tumors, experimental, with intraarterial hydrogen peroxide and ^{131}I HSA, 711
Tumors with ^{133}Cs, 300
Unilateral kidnev displacement, renograms and scans in, 331*
Whole body scanner, design and properties, 389
Scintillation counters, spectra from point sources in scattering medium, 747
Scintillation detector
Evaluation and intercomparison for scanning, 325*
Response to scattered gamma rays, 325*
^{75}Selenium
Methionine for scanning of malignant lymphoma, 355*
Methionine incorporation into fibrinogen, 369*
Pancreas, progress in scanning, 356*
Pancreas, scanning with morphine, 357*
Pancreas scanning with methionine, 762
Parathyroid uptake of amino acid analogues, 356*
Selenate and sulfate ions in man and dog, 822
Selenate for measuring extra cellular fluid space, 367*
Selenite for brain scanning, 351*
Selenomethionine uptake by thyroid, 328*
Turnover in patients with selenomethionine, 338*
^{22}Sodium, continuous flow dialysis of sodium-serum protein binding, 354*
Spleen
Function study with ^{197}Hg MHP, 355*
Metabolism of MHP after splenectomy, 847†
Scanning with ^{99m}Tc sulfur colloid and scintillation camera, 362*
Selective sequestration with mercuri-hydroxypropane, ^{197}Hg, 354*
Sequestration of red cells in rat, 533*
Uptake of labeled atabrine in leukemic mice, 594
^{85}Strontium
enhancement of excretion in man, 338*
Pathological basis of positive bone scans, 357*
Strontium, human bone content, 432‡
^{35}Sulfur, comparison of selenate and sulfate ions in man and dog, 822
Sulfur colloid, bronchial and vascular lung scans, 347*

T

Technetuim, long term distribution and excretion of, 340*
^{99m}Technetium
Abnormal brain scans, 333*
Albumin for bronchial and vascular lung scans, 347*
Brain scans, false positives from contamination, 524
Brain scans, normal features, 767*
Calibration of, 610†
Comparison with ^{203}Hg chlormerodrin for brain scans, 334*
Comparison with ^{203}Hg neohyrin in brain scans, 334*
Demonstration of extra-cranial neoplasms with pertechnetate, 687
Heart scanning with pertechneate, 555
In brain scanning, 121
Internal dose calculation, 231
Mimimizing motion artifact with colloid and gamma camera, 349*
Pertechnetate for brain scanning, 767*
Placenta previa by scanning with ^{99m}Tc albumin, 364*
Spleen with sulfur colloid, 362*
Tissue distribution and diagnostic application of compounds, 352*
Transverse section and rectilinear brain scanning, 334*
Tumour/brain concentration in rats, 404
Thyroid
Activation analysis for iodine by bremsstrahlung, 344*
Antithyroid drugs, effect on rate uptake in thyrotoxicosis, 330*
Autoradiographic visualization of, 329*
Autoradiographs, double-labeled in nodular goiter, 330*
Comparison of potassium iodide and triiodothyronine as suppressive agents, 223†
Comparison of ^{131}I-triiodothyronine by red cells and sephadex, 328*
Congenital and juvenile hypothyroidism with dysgenesis, 275
Diagnosis of hyperthyroidism by external liver counting, 598
Function tests, principles and pitfalls in, 853
Iodine metabolism in, 142
Selenomethionine, ^{75}Se, uptake, functional significance, 328*
Size and position between lobes in adult by scanning, 53
Solitary nodules, failure of ^{32}P to identify, 917
Suppression test, interpretation, 227†
Thyroxine exchange between liver and blood of rat, 533*
Thyroiditis, serial scans in, 560
Triiodothyronine (^{131}I) resin uptakes in man and sheep, 192
Tolpovidone, ^{131}I, internal dosimetry of in rats and cats, 59

V

Vascular, peripheral circulation with ^{131}I macroaggregates of albumin, 150
Venous system
  Absorption of albumin from subcutaneous space, 367*
  Detection of thrombi by scanning, 352*
Vitamin B_{12}, determination of absorption by double tracer, 459

W

Whole body counter
  Design at Mayo Clinic, 535*
  Diagnostic-level, 481
  Efficiency and calibration of ultralow background shield, 337*
  Organic plastic localizing counter, 667
  Rotation technique for quantity and position of radioactivity, 338*

X

$^{133}Xenon$
  Ceramic pellets in brain, effects, 358*
  inhaled xenon, 679
  Cerebral blood flow by inhalation, 365*

Y

$^{90}Yttrium$
  Ceramic pellets in brain, effects, 358*
  Destruction of small volumes of tissue with, 359*

550-Bed Teaching Hospital Seeks Director for Department of Nuclear Medicine

550-bed teaching hospital is seeking a full-time Director for the expansion of a separate Department of Nuclear Medicine. This is an educational institution with full domestic intern and resident staffs over the past five years. The staff is 65% Board Certified and 15% eligible. There is active basic research in Hematology and Neurology with Federal grants. Terms and level of compensation are open according to the experience and desire of the applicant. The present Department is fully equipped, with twin probes and all basic instrumentation. Funds are available for further equipment, including scanner, which the new Director will choose. Present space is generous but new construction space is in active planning now for construction in one to two years. Community has the lowest unemployment rate in the nation and is a stable manufacturing, distribution, and agricultural center. Cultural and recreational facilities abound. Local schools are rated among best in nation. The hospital is the sole provider of medical care for a 270,000 population. Prefer a physician with clinical interest and experience and a research orientation. Medical college faculty appointment available within the local area. This is an opportunity to develop a separate department in a sophisticated, educationally-oriented major hospital, with goals and objectives basically self-determined. Please reply with curriculum vitae to Robert L. Evans, M. D., Director of Medical Education and Services, York Hospital, York, Pennsylvania 17403.